

Dangerous Confined Space Work Permit

Permit Serial No:

Date of Issue:

1. Details and location of work to be carried out:

2. This permit is valid from hrs Date to hrs Date

3. Description of possible hazards within confined space:

4.	Precautions	Yes	No	Comment
	Isolate Pumps			
	No Smoking / Naked Lights			
	Lighting			
	'Don't Touch' Labels			
	Observer / Rescue Staff Outside Space			
	Operators to Work in Pairs			
	Lifeline to be worn			
	Standby Resuscitation Equipment			
	Multi Gas Monitor			
	Operators Trained in Hazards & Precautions			
	Other Necessary Precautions			

5. Atmospheric Test Results

Carrying Test (Print Name) Title: Date: Time:

Toxic Gas Results PPM (Entry not permitted if reading exceeds 0% LEL.)

Explosive Gas Test Results % Explosive Limit (Entry not permitted if reading exceeds 0% LEL.)

Oxygen Sufficiency / Deficiency Test Result Entry not permitted 20% or above 20.9%

6. Further Special Conditions and Precautions:

7. Authorisation: I have personally checked the above conditions and consider it safe to carry out this work.

Authorised Person (Print Name): Title:

SIGNATURE: Date: Time:

8. Acknowledgement: I understand the hazards of this work and the precautions to be taken. These have also been fully explained to the operatives carrying out this work and I consider them to do it safely. I will return my copy of this permit to the authorised person when the work has been safely completed.

Performing supervisor (Print Name) Title:

SIGNATURE: Date: Time:

9. Time Extension: Subject to the following further precautions (Mark N/A if non required)

The expiry time of this permit is extended from hrs Date to hrs Date

Authorised Person – SIGNATURE: Date:

10. Cancellation

10.1 I have completed the work detailed in this permit, and have restored the location to safe and orderly condition. I have returned my copy of this permit to the Authorised Person.

Performing Supervisor – SIGNED: Date: Time:

10.2 I accept that the work has been safely completed.

Authorised Person – SIGNED: Date: Time: